

M2

STANDARD SHOWER/COMMODE CHAIRS



HMN



WWW.HMN.DK/EN

INDEX

INTRODUCTION.....	2
STANDARD ON M2 STANDARD CHAIRS.....	3-4
M2 STANDARD PUSHING WITH FRAME & PU BACK.....	5
M2 STANDARD WITH PUSHING FRAME & NETWEAVE BACK.....	6
M2 STANDARD WITH PUSHING HANDLES & HIGH NETWEAVE BACK.....	7
M2 STANDARD WITH PUSHING HANDLE & PU BACK.....	8
M2 FOR WALL MOUNTED TOILETS, WITH PUSHING FRAME AND & PU BACK.....	9
M2 FOR WALL MOUNTED TOILETS, WITH PUSHING FRAME AND & NETWEAVE BACK.....	10
M2 FOR WALL MOUNTED TOILETS, WITH PUSHING FRAME AND & HIGH NETWEAVE BACK....	11
M2 SMALL WITH PUSHING FRAME & PU BACK.....	12
M2 200 KG, HEIGHT ADJUSTABLE.....	13
M2 200 KG, NETWEAVE.....	14
M2 300 KG STANDARD & WIDE.....	15
M2 400 KG.....	16
M2 STANDARD ACCESSORIES.....	17-22
TECHNICAL DATA.....	23-29

INTRODUCTION

M2 STANDARD SHOWER/ COMMODE CHAIRS

Our M2 shower/ commode chairs are produced in the best materials and is well known for their high quality.

Here are some of the M2 Standard chairs advantages:

- Frame in stainless steel
- Seats in PU foam
- Massive telescopic legs in stainless steel
- Wheels with closed axis, making them resistant to hair and dirt
- Easy to use functions
- A big selection of accessories to ensure the best adaptation for the individual user

We have many different shower/ commode chairs in our assortment and five of them as standard chairs.

Read about them in this brochure

STANDARD ON

M2 Standard



As standard the **M2 Standard chairs** are mounted with **100 mm wheels**, with the exclusion of our **XXL M2 Standard chairs**. All wheels are mounted with a telescopic legs, which makes them height adjustable.

The wheels has an effective tread guard which stops hair from getting into the axis. The wheels also have double action brakes.

The chair can be delivered with 125 mm wheels.

For all the chairs you can choose between a standard seat or horseshoe seat.

The horseshoe seat makes accessibility for hygienic purposes easier, while the standard seat has a closed front, which is ideal for users with a slim physique.



Both seats are made of soft PU foam and has a build-in holder for the commode pan.

As accessories, you can get a lid which covers the whole seat. The lid is made of PU foam and are adapted to fit the seats.



It provides a better comfort for the user during shower use.

BECAUSE PEOPLE HAVE DIFFERENT NEEDS

M2 Standard shower/ commode chair is as standard mounted with either a PU foam backrest or a backrest in netweave.

The PU foam backrest is comfortable and easy to clean and disinfect.



The netweave backrest is adjustable, making it possible to fit to the needs of the individual user. You can choose between normal netweave or high netweave backrest.

The shower/commode chairs are delivered with PU foam on the armrest as standard, which makes them more comfortable.



M2

STANDARD

WITH PUSHING FRAME & PU BACK

STAINLESS STEEL

STANDARD SEAT, STAINLESS STEEL

BOXED: Art. No. 310034-B

HORSEHOE SEAT, STAINLESS STEEL

BOXED: Art. No. 310091-B

HORSEHOE SEAT, STAINLESS STEEL WITH 125mm WHEELS

Art. No. 310091-125

Backrest in PU foam
EASY TO CLEAN!



M2 Standard with pushing frame provides great comfort for the user, it's easy to clean (both in terms of daily cleaning and relending), as well as easy to drive and operate. The chair is available with 2 different seats, as well as a version with 125mm wheels, which are fully assembled as Standard.

The seat height is adjustable in seven positions and the footrests are easy to adjust, just a small lift and you will be able to remove them sideways.

With the pushing frame it is possible to get the chair closer to the wall. Because of that it is a better choice when it comes to toilet with a build-in cistern.

TECHNICAL DATA

PAGE 20

USER GUIDE

SPARE PARTS

M2 STANDARD WITH PUSHING FRAME & PU BACK

Material	Stainless steel
Wheel	100 mm
Max. Exterior width	57 cm
Weight of chair	16 kg
Seat heights	APP. 44,5–56,5 cm <i>Notice:</i> Seat lid increase the height with 1,5 cm
Seat width	46,5 cm
Width between armrest	46 cm
Max user weight	150 kg

M2

STANDARD

WITH PUSHING FRAME & NETWEAVE BACK

STAINLESS STEEL

STANDARD SEAT, STAINLESS STEEL

BOXED: Art. No. 310027-B

HORSHOE SEAT, STAINLESS STEEL

BOXED: Art. No. 310028-B



This M2 model with the netweave backrest is easy to adjust to the users needs. With multiple accessories options and the adjustable netweave backsrest, this chair is for example, very suitable for users with scoliosis.

The flexible backrest is adjustable with two buckles. This enables users with a larger deformity in their back to obtain an optimal support in their seating position.

The netweave doesn't absorb water and the perforated material makes sure the skin is able to breath.

TECHNICAL DATA

PAGE 20

USER GUIDE

SPARE PARTS

M2 STANDARD WITH PUSHING FRAME & NETWEAVE BACKREST

Material	Stainless steel
Wheel	100 mm
Max. Exterior width	57 cm
Weight of chair	16 kg
Seat heights	APP. 44,5–56,5 cm <i>Notice:</i> Seat lid increase the height with 1,5 cm
Seat width	46,5 cm
Width between armrest	46 cm
Max user weight	150 kg

M2

STANDARD

WITH PUSHING FRAME & HIGH NETWEAVE BACK
STAINLESS STEEL

STANDARD SEAT, STAINLESS STEEL

BOXED: Art. No. 310610-B

HORSHOE SEAT, STAINLESS STEEL

BOXED: Art. No. 310611-B

With flexible
NETWEAVE BACKREST



This M2 model with the high netwave backrest is an ideal if there is a wish to the users needs. As an example this could be a user with scolioses.

The netwave doesn't absorb water and the perforated material makes sure the skin is able to breath. It can be adjusted in four positions, allowing users with curvatures of the spine to get optional support to get optimal support across the back.

TECHNICAL DATA

PAGE 21

USER GUIDE

SPARE PARTS

M2 STANDARD WITH PUSHING FRAME & HIGH NETWEAVE BACKREST

Material	Stainless steel
Wheel	100 mm
Max. Exterior width	57 cm
Weight of chair	16 kg
Seat heights	APP. 44,5—56,5 cm Notice: Seat lid increase the height with 1,5 cm
Seat width	46,5 cm
Width between armrest	46 cm
Max user weight	150 kg

M2

STANDARD

WITH PUSHING HANDLE & PU BACKREST

STAINLESS STEEL

STANDARD SEAT, STAINLESS STEEL

BOXED: Art. No. 310035-B

HORSESHOE SEAT, STAINLESS STEEL

BOXED: Art. No. 310036-B



M2 Standard with pushing handles and PU back is a shower/ commode chair that is height adjustable like the other M2 Standards.

It is very suitable for hospitals and institution with the firm PU back which is easy to clean and use for re-lending.

TECHNICAL DATA

PAGE 21

USER GUIDE

SPARE PARTS

M2 STANDARD WITH PUSHING HANDLE & PU BACKREST

Material Stainless steel

Wheel 100 mm

Max. Exterior width 57 cm

Weight of chair 16 kg

Seat heights APP. 44,5–56,5 cm

Notice: Seat lid increase the height with 1,5 cm

Seat width 46,5 cm

Width between armrest 46 cm

Max user weight 150 kg

M2

FOR WALL MOUNTED TOILETS

WITH PUSHING FRAME & PU BACK.

STAINLESS STEEL

HORSESHOE SEAT, STAINLESS STEEL

BOXED: Art.no. 310720-B

M2 for wall-mounted toilets, with pushing frame and PU back

The frame is adapted to fit over a wall-mounted toilet. We have done this by adjusting the angle of the back and shortening the frame at the back. This ensures that the hole in the seat always matches the hole in the toilet.



The chair is **suitable for hospital and institutional use**, as the fixed PU back is very easy to clean and the chair can quickly be used for other users.

TECHNICAL DATA

PAGE 25

USER GUIDE

SPARE PARTS

M2 FOR WALL MOUNTED TOILETS, WITH PUSHING FRAME AND PU BACK

Material	Stainless steel
Wheel	100 mm
Max. Exterior width	57 cm
Weight of chair	16 kg
Seat heights	Ca. 44,5–56,5 cm <small>Notice: Seat lid increase the height with 1,5 cm</small>
Seat width	46,5 cm
Width between armrest	46 cm
Max user weight	150 kg

M2

FOR WALL MOUNTED TOILETS

WITH PUSHING FRAME & NETWEAVE BACK

STAINLESS STEEL

HORSESHOE SEAT, STAINLESS STEEL
BOXED: Art.no. 310721-B

With flexible
NETWEAVE BACK

M2 for wall-mounted toilets, with pushing frame and netweave back

The frame is adapted to fit over a wall-mounted toilet. We have done this by adjusting the angle of the back and shortening the frame at the back. This ensures that the hole in the seat always matches the hole in the toilet.



The flexible back can be adjusted in two straps, which allows users with curvature of the spine to get optimal support across the back. The back does not absorb water, and the perforated material ensures that the skin can breathe.

TECHNICAL DATA
PAGE 25

USER GUIDE

SPARE PARTS

M2 FOR WALL MOUNTED TOILETS, WITH PUSHING FRAME AND NETWEAVE BACK

Material	Stainless steel
Wheel	100 mm
Max. Exterior width	57 cm
Weight of chair	14 kg
Seat heights	Ca. 44,5–56,5 cm <small>Notice: Seat lid increase the height with 1,5 cm</small>
Seat width	46,5 cm
Width between armrest	46 cm
Max user weight	150 kg

M2

FOR WALL MOUNTED TOILETS

WITH PUSHING FRAME & HIGH NETWEAVE BACK.

STAINLESS STEEL

HORSESHOE SEAT, STAINLESS STEEL
BOXED: Art.no. 310722-B

With flexible
NETWEAVE BACK

M2 for wall-mounted toilets with pushing frame and high netweave back

The frame is adapted to fit over a wall-mounted toilet. We have done this by adjusting the angle of the back and shortening the frame at the back. This ensures that the hole in the seat always matches the hole in the toilet.



The flexible back can be adjusted in three positions, allowing users with a larger curvature in the spine to get optimal support across the back. The back does not absorb water, and the perforated material ensures that the skin can breathe.

TECHNICAL DATA
PAGE 25

USER GUIDE

SPARE PARTS

M2 FOR WALL MOUNTED TOILETS, WITH PUSHING FRAME AND HIGH NETWEAVE BACK

Material	Stainless steel
Wheel	100 mm
Max. Exterior width	57 cm
Weight of chair	15 kg
Seat heights	Ca. 44,5–56,5 cm <small>Notice: Seat lid increase the height with 1,5 cm</small>
Seat width	46,5 cm
Width between armrest	46 cm
Max user weight	150 kg

M2

SMALL

WITH PUSHING FRAME & PU BACKREST.
STAINLESS STEEL

STANDARD SEAT, STAINLESS STEEL

BOXED: Art. No. 310278-B

HORSESHOE SEAT, STAINLESS STEEL

BOXED: Art. No. 310279-B

THE CHAIRS CAN BE DELIVERED ASSEMBLED FOR EXTRA SERVICE CHARGE. USE THE PRODUCT ART. NO.+ ART. NO. 310363

When there is not enough
SPACE AT HOME



The armrests can be lifted and pushed to the side. In case there isn't enough room to push the armrests to the side, it is easy to remove them completely.

TECHNICAL DATA

PAGE 26

USER GUIDE

SPARE PARTS

M2 SMALL WITH PUSHING FRAME & PU BACKREST

Material Stainless steel

Wheel 100 mm

Max. Exterior width 48 cm

Weight of chair 16 kg

Seat heights APP. 44,5–56,5 cm

Notice: Seat lid increase the height with 1,5 cm

Seat width 46,5 cm

Width between armrest 38 cm

Max user weight 150 kg

M2

200 KG

HEIGHT ADJUSTABLE

STAINLESS STEEL



HORSESHOE SEAT, STAINLESS STEEL

Art.No. 310272

M2 200 kg has a seat width of 56 cm. The chair is made so that it can withstand a user load of max. 200 kg and yet the chair is height adjustable. The seat height can be adjusted from 48–56,5 cm.

Despite the fact that the chair is made for larger users, we have kept the design simple so that it is easy to clean. The seat is made of soft PU foam and can easily be taken off for cleaning. The backrest and the armrest are also made of PU foam.

TECHNICAL DATA

PAGE 27

USER GUIDE

SPARE PARTS

M2 200 KG, HEIGHT ADJUSTABLE

Material	Stainless steel
Wheels	125 mm
Max. Exterior width	68 cm
Weight of chair	18,5 kg
Seat heights	48, 50, 52, 54 & 56,5 cm
Seat width	56 cm
Width between armrests	56 cm
Max. User weight	200 kg

M2 200 KG WITH NETWEAVE

HORSESHOE SEAT, STAINLESS STEEL
Art.No. 310296

This M2 200 kg chair has a seat width of 56 cm and is designed to support a maximum user weight of 200 kg. It is height adjustable, with the seat height adjustable from 48–56,5. The chair is equipped with a mesh backrest, providing excellent comfort for the user.



Although the chair is intended for larger users, we have maintained our minimalist design, making it easy to clean. The seat and armrest pads are still made of soft PU foam, and the seat can be easily detached for cleaning.

TECHNICAL DATA PAGE 27

USER GUIDE

SPARE PARTS

M2 200 KG WITH NETWEAVE

Material	Stainless steel
Wheels	125 mm
Max. Exterior width	68 cm
Weight of chair	17 kg
Seat heights	48, 50, 52, 54 & 56,5 cm
Seat width	56 cm
Width between armrests	56 cm
Max. User weight	200 kg

M2

300 KG

STANDARD & WIDE

STAINLESS STEEL



HORSESHOE SEAT, STANDARD, STAINLESS STEEL
Art.No. 310280

HORSESHOE SEAT, WIDE, STAINLESS STEEL
Art.No. 310284

With M2 300 kg Standard & Wide, larger users can easily be placed and handled in toilet and shower situations. They have a fixed seat height of 56,5 cm. The chair is equipped with a PU foam seat with a width of 56 cm.

The back and armrests are also produced in PU foam, making the chairs comfortable to sit in.

The chairs are kept in a simple design and are easy to clean. M2 300 kg Standard & Wide is fitted with 150 mm wheels, including a directional fixed wheel, making the chair very easy to maneuver.

TECHNICAL DATA
PAGE 28

USER GUIDE

SPARE PARTS

	M2 300 KG STD	M2 300 KG WIDE
Material	Stainless steel	
Wheels	150 mm	
Max. Exterior width	70 cm	82 cm
Weight of chair	20,4 kg	24,5 kg
Seat heights	56,5 cm	
Seat width	56 cm	
Width between armrests	60 cm	70 cm
Max. User weight	300 kg	

M2 400 KG STAINLESS STEEL



HORSESHOE SEAT, STAINLESS STEEL

Art.No. 310294

With M2 400 kg even the largest users can easily be placed and handled in toilet and shower situations. The chair has a fixed seat height of 56 cm. The chair is equipped with a PU foam seat with a width of 95 cm.

The armrests are also produced in PU foam, making the chairs comfortable to sit in.

The shower commode chair is provided with 125 mm double wheels which makes it easy to maneuver, despite being large in size.

TECHNICAL DATA

PAGE 29

USER GUIDE

SPARE PARTS

M2 400 KG

Material	Stainless steel
Wheels	125 mm
Max. Exterior width	101 cm
Weight of chair	30 kg
Seat heights	56 cm
Seat width	95 cm
Width between armrests	91 cm
Max. User weight	400 kg

M2 STANDARD ACCESSORIES



Mount for **HEADSUPPORT** on PU foam

Art. No. 310320

Height & depth adjustable **HEADREST**, PU foam

Art. No. 310222



Height adjustable & depth adjustable **HEADREST**,
short bar, PU foam

Art. No. 310244



Height adjustable **HEADREST**, PU foam

Art. No. 310221



Super Soft height- & depth adjustable **HEADREST**,
short bar, PU foam

Art. No. 310243



Super Soft height & depth adjustable **HEADREST**,
PU foam

Art. No. 310235



Super Soft height adjustable **HEADREST**,
PU foam

Art. No. 310236



M2 STANDARD ACCESSORIES



HEIGHT and ANGLE adjustable **FOOTRESTS**

Art. No. 313041

Height adjustable **FOOTRESTS**

(It is from the edge of the seat to the plate of the footrest)

Standard: Art. No. 310049 (39–51 cm)

Short: Art. No. 310510 (31–41 cm)

Extended: Art. No. 310283 (49–61 cm)

Reinforced: Art. No. 310275 (39–51 cm)



CALF SUPPORT

Art. No. 310226



FOOTREST plate

Right, Art. No. 310085

Left, Art. No. 310086



EXTRA calfrest

Art. No. 310358



LEGREST with elevation

Right, Art. No. 310053

Left Art. No. 310054

FULL FOOTPLATES M2 FOOTRESTS + NEOPREN

Art.No. 310760, Standard

Art.No. 310761, Neopren Standard

Art.No. 310762, Wide

Art.No. 310763, Neopren Wide

Art.No. 310764, 300 kg El-Tip

Art.No. 310765, Neopren 300 kg El-Tip



M2 STANDARD ACCESSORIES



AMPUTATION SUPPORT

Right, Art. No.: 800343

Left, Art. No.: 800344

ARMREST WITH RELEASE LOCK (with PU foam)

Extra charge for delivered with lock armrest : Art. No. 800071

One set of lockable armrests: Art. No. 310350



ARMREST with reduced height (5 cm)

Right, Art. No. 310397

Left, Art. No. 310398

ARMRESTS with increased height (5 cm)

(Doesn't fit on Mini, 200 kg & 250 kg)

Right, Art.No. 310400

Left, Art.No. 310401



ARMREST with reduced width

(One armrest reduces width 2,5 cm)

Right, Art. No. 310394

Left Art. No. 310395



ARMREST with increased width

(One armrest gives an increased width of 3 cm)

Right, , Art. No. 310391

Left Art. No. 310392



Hemiplegia ARMREST

Set, Art. No. 800275

Right, Art. No. 800274

Left, Art. No. 800273

M2 STANDARD ACCESSORIES

SIDE SUPPORT HOLDERS

(not possible with netweave back)

Set, Art. No. 310227



SIDE SUPPORT

Right, Art. No. 310225

Left, Art. No. 310224

Set; Art. No. 310223

THIGH-/HIP SUPPORT

Right, art.no.: 310103

Left, art.no.: 310104

Thigh-/Hip Support does not fit on M2 Mini, M2 Small, Hemi armrests and armrest with smaller width




COMMODE PAN with lid

Art. No. : 310048

CROSSBAR

Art. No. 310228

Art. No. 310360 for M2 Small




URINE FUNNEL

Art. No. : 148861

M2 SPLASH GUARD

Art. No. : 148862



M2 STANDARD ACCESSORIES




TOILET SEAT to M2

Art. No. 330024

SUPER SOFT GREY FOAM SEAT

With hole Art. No. 330018

Without hole, Art. No. 330022



SEAT with small hole, black

Art. No. 800178

WHITE FOAM SEAT with plastic cover

Art. No. 330016



PRESURE- RELIEF SEAT

Art. No. 330023

COVER for normal standard seat

Art. No. 310341



LID for horseshoe seat

Art. No. 310343

STANDARD SEAT longer seat

Art. No. 310373



STANDARD SEAT for M2 200 kg, M2 300 kg Standard, M2 300 kg Bred

Art.No. 310372

M2 STANDARD ACCESSORIES



STANDARD SEAT, with less wide hole

Art. No. 310374

LONGER HORSESHOE SEAT,

Art. No. 310376



HORSESHOE SEAT, with less wide hole

Art. No. 310375

SOFT BACK (Only for netweave back, not the high netweave)

Art. No. 800850



DIRECTIONAL FIXED WHEEL

Extra charge for one pcs. Directional fixed wheel mounted

Art. No. 800157

HIPSTRAP

With velcro, Art.No. 330019

With buckle Art.No. 800404



TORSO SUPPORT

Std, Cushion, Art. No. 310245

Std. Cover, Art. No. 310246

FULL FOOTPLATES FOR M2 FODRESTS + NEOPREN

Art.No. 310762, Wide

Art.No. 310763, Neopren Wide

Art.No. 310764, 300 kg El-Tip

Art.No. 310765, Neopren 300 kg El-Tip

Art.No. 310766, 400 kg — 400 kg El-Tip

Art.No. 310767, Neopren 400 kg — 400 kg El-Tip



M2 STANDARD WITH PUSHING FRAME, STAINLESS STEEL

TECHNICAL DATA

	M2 STANDARD PUSHING FRAME PU BACKREST	M2 STANDARD WITH PUSHING FRAME NETWEAVE BACKREST
SEAT HEIGHTS	APP. 44,5, 46,5, 48,5, 50,5, 52,5, 54,5, 56,5 CM	
SEAT WIDTH	46,5 CM	
SEAT DEPTH	44 CM	
MAX. HEIGHT	84–97 CM	
MAX. WIDTH	57 CM	
SPACE BETWEEN THE ARMREST	46 CM	
CLEARANCE UNDER THE SEAT	35,5–48,5 CM	
LENGTH (WITHOUT THE FOOTRESTS)	63 CM	
WEIGHT OF THE CHAIR	16 KG	
MAX. USER WEIGHT	150 KG	
WHEELS	100 MM WHEELS W/ GREY RUBBER DOUBL – ACTING BRAKES AND BEARINGS.	
HEIGHT ADJUSTABLE	TELESCOPIC LEGS IN STAINLESS STEEL WITH 7 ADJUSTMENTS WITH 2 CM'S INTERVAL. THE HEIGHT IS ADJUSTED WITH CLIPS (WITHOUT TOOLS)	
BACKREST	PU BACKREST 2,5–4 CM FOAM	NETWEAVE BACKREST 24 X 43,5 CM. DEPTH ADJUSTMENT UP TO 10 CM. NETWEAVE WITH SEWED OF WEB- BING AND 2 BUCKLES OR ADJUSTING DEPTH.
SEAT AND COVER	SEAT: 4,5 CM PU FOAM COVER : 2,5 CM PU FOAM	
SURFACE/ METAL	STAINLESS STEEL, POWDER COATED	
DESCRIPTION:	ART. NO.	
M2 STD. PU BACK, STANDARD SEAT	310034-B	
M2 STD. PU BACK, HORSESHOE SEAT	310091-B	
M2 STD. NETWEAVE BACKREST, STANDARD SEAT	310027-B	
M2 STD, NETWEAVE BACKREST, HORSESHOE SEAT	310028-B	
ISO-NUMBER	09 12 03	

[BACK TO](#)
[PAGE 5-6](#)

M2 STANDARD STAINLESS STEEL

TECHNICAL DATA

	M2 STANDARD PUSHING FRAME PU BACKREST	M2 STANDARD WITH PUSHING FRAME HIGH NETWEAVE BACKREST
SEAT HEIGHTS	APP. 44,5, 46,5, 48,5, 50,5, 52,5, 54,5, 56,5 CM	
SEAT WIDTH	46,5 CM	
SEAT DEPTH	44 CM	
MAX. HEIGHT	84–97 CM	
MAX. WIDTH	57 CM	
SPACE BETWEEN THE ARMREST	46 CM	
CLEARANCE UNDER THE SEAT	35,5–48,5 CM	
LENGTH (WITHOUT THE FOOTRESTS)	75,5 CM	
WEIGHT OF THE CHAIR	16 KG	
MAX. USER WEIGHT	150 KG	
WHEELS	100 MM WHEELS W/ GREY RUBBER DOUBL- ACTING BRAKES AND BEARINGS.	
HEIGHT ADJUSTABLE	TELESCOPIC LEGS IN STAINLESS STEEL WITH 7 ADJUSTMENTS WITH 2 CM'S INTERVAL. THE HEIGHT IS ADJUSTED WITH CLIPS (WITHOUT TOOLS)	
BACKREST	PU BACKREST 2,5–4 CM FOAM	NETWEAVE BACKREST 39 X 46 CM. DEPTH ADJUSTMENT UP TO 10 CM. NETWEAVE WITH SEWED ON WEBBING AND 4 BUCKLES OR ADJUSTING DEPTH.
SEAT AND COVER	SEAT: 4,5 CM PU FOAM COVER : 2,5 CM PU FOAM	
SURFACE/ METAL	STAINLESS STEEL, POWDER COATED	
DESCRIPTION:	ART. NO.	
M2 STD. HIGH NETWEAVE BACKREST, STANDARD SEAT	310610-B	
M2 STD. HIGH NETWEAVE BACKREST, HORSESHOE SEAT	310611-B	
M2 STD. PU BACK, STANDARD SEAT	310035-B	
M2 STD, PU BACK, HORSESHOE SEAT	310036-B	
ISO-NUMBER	09 12 03	

[BACK TO
PAGE 7-8](#)

M2

FOR WALL MOUNTED TOILETS WITH PUSHING HANDLES, STAINLESS STEEL

TECHNICAL DATA

	M2 FOR WALL MOUNTED TOILETS, WITH PUSHING HANDLES AND PU BACK	M2 FOR WALL MOUNTED TOILETS, WITH PUSHING HANDLES AND NETWEAVE BACK	M2 FOR WALL MOUNTED TOILETS, WITH PUSHING HANDLES AND HIGH NETWEAVE BACK
SEAT HIGHTS	APP. 44,5, 46,5, 48,5, 50,5, 52,5, 54,5, 56,5 CM		
SEAT WIDTH	46,5 CM	46,5 CM	46,5 CM
SEAT DEPTH	44 CM	44 CM	44 CM
MAX. HEIGHT	88,5–100,5 CM	88,5–100,5 CM	96,5–108,5 CM
MAX. WIDTH	57 CM	57 CM	57 CM
SPACE BETWEEN THE ARMREST	46 CM	46 CM	46 CM
CLEARANCE UNDER THE SEAT	35,5–47,5 CM	35,5–47,5 CM	35,5–47,5 CM
LENGHT (WITHOUT THE FOOTRESTS)	53 CM	53 CM	53 CM
WEIGHT OF THE CHAIR	16 KG	14 KG	15 KG
MAX. USER WEIGHT	150 KG	150 KG	150 KG
WHEELS	100 MM WHEELS W/ GREY RUBBER DOUBL – ACTING BRAKES AND BEARINGS.		
HEIGHT ADJUSTABLE	TELESCOPIC LEGS IN STAINLESS STEEL WITH 7 ADJUSTMENTS WITH 2 CM'S INTERVAL. THE HEIGHT IS ADJUSTED WITH CLIPS (WITHOUT TOOLS)		
BACKREST	PU BACK 2,5–4 CM PU FOAM	NETWEAVE BACKREST 24 X 43,5 CM. DEPTH AD- JUSTMENT UP TO 10 CM. NETWEAVE WITH SEWED OF WEBBING AND 2 BUCKLES OR ADJUSTING DEPTH.	NETWEAVE BACKREST 39 X 46 CM. DEPTH ADJU- STMENT UP TO 10 CM. NETWEAVE WITH SEWED ON WEBBING AND 4 BUCKLES OR ADJUSTING DEPTH.
SEAT AND COVER	SEAT: 4,5 CM PU FOAM COVER : 2,5 CM PU FOAM		
SURFACE/ METAL	STAINLESS STEEL, POWDER COATED		
DESCRIPTION:	ART.NO.		
M2 FOR WALL MOUNTED TOILETS, W/ PUSHING HANDLES AND PU BACK	310720-B		
M2 FOR WALL MOUNTED TOILETS, W/ PUSHING HANDLES AND NETWEAVE BACK	310721-B		
M2 FOR WALL MOUNTED TOILETS, W/ PUSHING HANDLES AND HIGH NETWEAVE BACK	310722-B		
ISO-NUMBER	09 12 03		

[BACK TO
PAGE 9](#)

M2 SMALL STAINLESS STEEL

TECHNICAL DATA

M2 SMALL PU BACKREST	
SEAT HEIGHTS	APP. 44,5, 46,5, 48,5, 50,5, 52,5, 54,5, 56,5 CM
SEAT WIDTH	46,5 CM
SEAT DEPTH	44 CM
MAX. HEIGHT	84–97 CM
MAX. WIDTH	48 CM
SPACE BETWEEN THE ARMREST	38 CM
CLEARANCE UNDER THE SEAT	35,5–48,5 CM
LENGTH (WITHOUT THE FOOTRESTS)	63 CM
WEIGHT OF THE CHAIR	16 KG
MAX. USER WEIGHT	125 KG
WHEELS	100 MM WHEELS W/ GREY RUBBER DOUBL – ACTING BRAKES AND BEARINGS.
HEIGHT ADJUSTABLE	TELESCOPIC LEGS IN STAINLESS STEEL WITH 7 ADJUSTMENTS WITH 2 CM'S INTERVAL. THE HEIGHT IS ADJUSTED WITH CLIPS (WITHOUT TOOLS)
BACKREST	PU BACKREST 2,5–4 CM FOAM
SEAT AND COVER	SEAT: 4,5 CM PU FOAM COVER : 2,5 CM PU FOAM
SURFACE/ METAL	STAINLESS STEEL, POWDER COATED
DESCRIPTION:	ART. NO.
STANDARD SEAT	310278-B
HORSESHOE SEAT	310279-B
THE CHAIR CAN BE DELIVERED ASSEMBLED FOR EXTRA SERVICE CHARGE. USE THE PRODUCTS ART. NO.+ ART NO.	310363
ISO-NUMBER	09 12 03

[BACK TO](#)
[PAGE 12](#)

M2

200 KG

HEIGHT ADJUSTABLE

STAINLESS STEEL

TECHNICAL DATA

	M2 200 KG HEIGHT ADJUSTABLE	M2 200 KG NETWEAVE
SEAT HEIGHTS	48–50–52–54–56,5 CM	
SEAT WIDTH	56 CM	
SEAT DEPTH	44 CM	
MAX. HEIGHT	87–89 - 91–93–95,5 CM	91,5–93,5–95,5–97,5–99,5 CM
MAX. WIDTH	68 CM	
SPACE BETWEEN THE ARMRESTS	56 CM	
CLEARANCE UNDER THE SEAT	38,5 - 40,5 - 42,5 - 44,5 - 47 CM	
LENGTH (WITHOUT THE FOOTRESTS)	68,5 CM	64 CM
WEIGHT OF THE CHAIR	18,5 KG	17 KG
MAX. USER WEIGHT	200 KG	
WHEELS	125 MM WHEELS W/GREY RUBBER AND BALL BEARINGS. DEOUBLE ACTING BRAKE ON 3 WHEELS, 1 DIRECTION STEERED WHEELS.	
HEIGHT ADJUSTABLE	TELESCOPIC STAINLESS STEEL WITH 5 SETTINGS. THE HEIGHT IS ADJUSTED BY MEANS OF CLIPS (NO TOOLS)	
BACKREST	39 X 20 CM, PU FOAM	30 X 53,5 CM DEOTH ADJUSTMENT UP TO 10 CM. THE NET FABRIC WITH SEWN WEBBING AND 4 BUCKLES FOR DEPTH ADJUSTMENT
SEAT & COVER	SEAT: 4,5 CM PU FOAM ARMREST: 2,5 CM PU FOAM	
SURFACE/METAL	STAINLESS STEEL, POWDER COATED	
DESCRIPTION		Art.No
M2 200 KG, HEIGHT ADJUSTABLE		310272
M2 200 KG WITH NETWEAVE		310296
ISO-NUMBER	09 12 03	

[BACK TO](#)
[PAGE 13-14](#)

M2

300 KG STANDARD & WIDE STAINLESS STEEL

TECHNICAL DATA

	M2 300 KG STANDARD	M2 300 KG WIDE
SEAT HEIGHTS	56,5 CM	
SEAT WIDTH	56 CM	
SEAT DEPTH	44 CM (50 CM TO BACK)	
MAX. HEIGHT	96 CM	
MAX. WIDTH	70 CM	82 CM
SPACE BETWEEN THE ARMRESTS	60 CM	70 CM
CLEARANCE UNDER THE SEAT	47 CM	
LENGTH (WITHOUT THE FOOTRESTS)	63 CM	
WEIGHT PF THE CHAIR	20,4 KG	24,5 KG
MAX. USER WEIGHT	300 KG	
WHEELS	150 MM WHEELS W/GREY RUBBER AND BALL BEARINGS, DOUBLE ACTING BRAKES ON 3 WHEELS, 1 DIRECTIONAL FIXED WHEEL	
HEIGHT ADJUSTABLE	NO	
BACKREST	39 X 20 CM PU FOAM	
SEAT & COVER	SEAT: 4,5 CM PU FOAM ARMREST: 2,5 CM PU FOAM	
SURFACE/METAL	STAINLESS STEEL, POWDER COATED	
DESCRIPTION:	Art.No	
M2 300 KG STANDARD	310280	
M2 300 KG WIDE	310284	
ISO-NUMBER	09 12 03	

[BACK TO](#)
[PAGE 15](#)

M2

400 KG

STAINLESS STEEL

TECHNICAL DATA

	M2 400 KG
SEAT HEIGHTS	56 CM (No lid available)
SEAT WIDTH	95 CM
SEAT DEPTH	52 CM
MAX. HEIGHT	95 CM
MAX. WIDTH	101 CM
SPACE BETWEEN THE ARMRESTS	91 CM
CLEARANCE UNDER THE SEAT	45 CM
LENGTH (WITHOUT THE FOOTRESTS)	81 CM
WEIGHT OF THE CHAIR	30 KG
MAX. USER WEIGHT	400 KG
WHEELS	125 MM WHEELS W/GREY RUBBER AND BALL BEARINGS, DOUBLE ACTING BRAKES ON 3 WHEELS, 1 DIRECTIONAL FIXED WHEEL
HEIGHT ADJUSTABLE	NO 30 X 89 CM
BACKREST	DEPTH ADJUSTMENT UP TO 10 CM. THE NET FABRIC WITH SEWN WEBBING AND 4 BUCKLES FOR DEPTH ADJUSTMENT
SEAT & COVER	SEAT: 6,5 CM PU FOAM ARMREST: 2,5 CM PU FOAM
SURFACE/METAL	STAINLESS STEEL, POWDER COATED
DESCRIPTION:	Art.No
M2 400 KG	310294
ISO-NUMBER	09 12 03

[BACK TO](#)
[PAGE 16](#)

Contact us for more information about
our products:

Phone: + 45 43 96 24 00



HMN

SINCE 1934

V 1.7 26-07-2024